

Холодильники для сухого вызревания DX 1000

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: tos@nt-rt.ru || сайт: <https://tekso.nt-rt.ru/>



01

The motivation



**THIS IS THE RESULT WHEN
A COMPANY DEDICATED TO
INNOVATION, RE-INVENTS OLD
TRADITIONAL BUTCHERING
PRACTICES INTO A NEW,
EXCITING MODERN WAY.**

* * *

THE MASTER OF DRY AGING MEAT





WHAT IS DRY AGING?

Dry Aging – the concept of meat maturing

To achieve the best result from any Beef it needs aging, and aging needs time. Dry Aging is a traditional way of aging meat to produce an extraordinary tender and intensive flavour. A method used for many years, through which beef reaches the highest possible grade.

To obtain the perfect steak, you need do no more than use this tried and tested method, but now in a high tech controlled environment.

For best results, meat should be hung on the bone for a specific time in a micro-climate of controlled temperature, humidity and air quality. In this way it can age naturally.

The pleasure when eating dry-aged meat is like nothing you've ever tasted before. The texture cannot be compared to an "ordinary piece of meat". So no wonder dry-aged beef is recognised by foodies as the "king of meats" on the steak menu.

THE PERFECT PARTNER FOR DRY-AGING

The **DRY AGER** Meat Maturing Fridge - for use by restaurants, artisan meat suppliers and the enthusiastic home "foodie"

Our ambition was to develop and produce an affordable dry aging fridge, which looks as good as it works. We succeeded and the result is the **DRY AGER**. A timeless modern design, bristling with modern technology. Old techniques meet modern technology.

Inside the fridge, the meat ages on the bone at a constant humidity of around 85% and a temperature of 2 °C. The precise electronic control system of the **DRY AGER** ensures the accurate regulation of temperature, which can be set in precise 0.1 °C increments.

The humidity is also controlled accurately through the integrated HumiControl system, which can be set between 60% and 90%. This guarantees, together with the DX AirReg system, a perfect micro-climate, an ideal air-flow and continuous sterilization inside the **DRY AGER** - even when the outside temperature fluctuates.

To protect the contents inside the fridge from harmful UV-light, the stylish insulated stainless door incorporates a metallic tinted glass.

The **DRY AGER** is not only restricted to dry aging beef, but can also be used for the production of charcuterie, air drying cured ham and many other applications as well as maturing cheese.



TASTE DELICIOUS

The perfect steak – a question of perfect timing.

The best meat recognised for Dry Aging is beef, especially the sirloins from a young animal. The meat becomes extremely tender, especially if it has a good fat content and high rate of internal marbling.

The longer the beef is hung in the **DRY AGER**, the more intensive the flavour becomes. Over this period an unusual aroma is apparent. A similar smell to cured ham or musk, freshly baked bread or hoar frost.

Over time, the beef acquires a dark colour and thin crust on the exposed surface. When the process is complete, this thin crust is trimmed off and the dry aged meat is de-boned or cut into steaks ready for the pan or grill.

The result is unlike a normal steak. The texture is softer, the flavour is more intense - it just melts in your mouth. The secret is oxygen, which titillates the natural enzymes of the meat over time.

Time, balances the meat to produce an exceptional result.





HUMICONTROL STEADY HUMIDITY
WITHOUT EXTERNAL WATER SUPPLY




DX AIRREG OPTIMAL AIR QUALITY
THROUGH OPTIMAL AIRFLOW,
ACTIVATED CARBON FILTER &
STERILIZATION WITH UVC SYSTEM



SALTAIR SYSTEM MORE TASTE WITH
HIMALAYAN SALT BLOCKS*

(*OPTIONAL ACCESSORIES)





THERE CAN ONLY BE ONE MEAT:
BEEF, DRY-AGED.
AND THERE CAN BE ONLY ONE
REFRIGERATOR: OUR **DRY AGER**.
FOR HOME, FOREVER, FOR YOU!

* * *

BEEF! MAGAZINE







THE
HOME OF
BEEF

20

Technical info

DRY AGER DX 1000 – for up to 100 kg of meat

EXTERNAL BODY – *Stainless Steel*

INSULATED GLASS DOOR – *UV Protection (metallic tint)*

INTERNAL DIMENSIONS – *138 x 54 x 56 cm (H x W x D)*

EXTERNAL DIMENSIONS – *165 x 70 x 75 cm (H x W x D)*

INTERNAL CAPACITY / NET – *478 / 435 Litre*

VOLTAGE – *230 V – 13 amp Domestic Supply*

TEMPERATURE RANGE – *electronic controller in 0.1°C increments from: 0 °C to +25 °C*

HUMICONTROL – *electronic humidity controller from 60% to 90%*

(no external water supply necessary)

DX AIRREG – *optimal airflow, activated carbon filter & UVC sterilization system*

LED LIGHTING DX – *the light spectrum does not contain any ultra violet radiation, the result is a minimum of heat generated and will not affect the core meat temperature*

DEFROST AUTOMATIC, AUTOMATIC CONDENSATION EVAPORATION

OPTIC AND ACUSTIC ALARM ALERT, LOCKABLE DOOR, REVERSIBLE DOOR

CAN BE INTEGRATED, MAGNETIC DOOR SEAL

MAXIMUM LOAD – *2-3 beef saddles, up to 1.2 m in length*

MAXIMUM LOADING CAPACITY PER HANGER – *80 kg*

(per hanger upto 2 saddles possible)

MAXIMUM QUANTITY OF SHELVES – *5 pieces*

MAXIMUM LOAD CAPACITY PER SHELF – *40 kg*

AWARDS



THOUGHT OUT TO THE END

Our accessories.

ACCESSORIES DX 1000



- DX0010 STAINLESS STEEL HANGER**
Loadable up to 80 kg. Pro suspension possible up to 2 strip loins
- DX0015 HALF SHELF**
- DX0020 SHELVES FOR INDIVIDUAL JOINTS** – *Loadable up to 40 kg*
- DX0055 SALTAIR HIMALAYA SALTBLOCK SET (QTY 4)**
- DX0070 SALTAIR STAINLESS STEEL TRAY FOR BOTTOM**
Will hold salt block set (DX0055)
- DX0080 DISPLAY PODIUM**
Made of sturdy metal, powder-coated, height-adjustable

ACCESSORIES DX 500

- DX0012 STAINLESS STEEL HANGER**
Loadable up to 15 kg, max. 2 hangers per unit
- DX0025 SHELVES FOR INDIVIDUAL JOINTS** – *Loadable up to 20 kg*
- DX0028 BOTTOM SHELF TO MAXIMISE SPACE** - *Loadable up to 20 kg*
- DX0058 SALTAIR HIMALAYA SALTBLOCK SET (QTY 2)**
- DX0075 SALTAIR STAINLESS STEEL TRAY FOR BOTTOM**
Will hold salt block set (DX0058)
- DX0078 WALL HOLDER** – *For easy mounting on a load-bearing wall*

ACCESSORIES DX 500 & DX 1000

- DX0040 LABELS FOR THE MEAT**
(Set of 20) with nylon tie
- DX0090 S-HOOK STAINLESS STEEL** – *Load capacity up to 100 kg (160 x 8 mm)*
- DX0095 SWIVEL HOOK STAINLESS STEEL** – *Load capacity up to 100 kg (180 x 8 mm)*
- DX0100 UVC BULB** – *Recommended to replace once a year*
- DX0110 CARBON FILTER** – *Recommended to replace once a year*





**DEDICATE THE TIME AND
ATTENTION TO FOLLOW
THE COURSE OF NATURE**

* * *



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

По вопросам продаж и поддержки обращайтесь:

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: tos@nt-rt.ru || сайт: <https://tekso.nt-rt.ru/>